



Your Trustworthy Partner

Yashang Tents Shenzhen Co., Ltd







# Event Furniture SOLUTION PROPOSAL

YASHANG

1. Air conditioner











Split wall air conditioner 分体壁挂式空调							
Product design 款式							
Model 型号		KFR-25GW/M	KFR-35GW/M	KFR-51GW/M	KFR-61GW/M	KFR-72GW/M	KFR-90GW/M
Power souce 电源		220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Horsepower(P) 匹数		1	1.5	2	3	3.5	4
Ton (吨)		0.8	1	1.5	2	2.5	3
Capacity (BTU)		9000BTU	12000BTU	18000BTU	24000BTU	30000BTU	36000BTU
Cooling capacity 制冷量		2500W	3496W	5099W	6096W	7033W	8499W
Cooling power input 输入功率		820W	1160W	1810W	2160W	2450W	3020W
Heating capacity 制热量		2550W	3530W	5600W	6500W	7600W	9000W
Heating power input 输入功率		860W	1230W	1800W	2030W	2250W	3100W
Current input 输入电流		4.2A	5.9A	8.9A	10A	11.5A	13.8A
Air Flow Volume(M3/h) 风量		450	550	750	950	1350	1500
Ratde current input 额定电流		5.9A	7.9A	14.3A	15	18.5A	21A
Indoor/Ourdoor noise 噪音		30~36/45db(A)	36~42/48db(A)	39~45/55db(A)	42~46/55db(A)	46~51/56db(A)	48~53/58db(A)
Compressor 压缩机		GMCC	GMCC	GMCC	GMCC	GMCC	GMCC
Refrigerants 制冷剂		R22/520g	R22/860g	R22/1500g	R22/1650	R22/2130g	R22/2590g
Pipe diameter 管径		6.35 / 9.52	6.35 / 12.7	6.35 / 12.7	9.52 / 15.88	9.52 / 15.88	9.52 / 15.88
Weight 毛重		38KG	46KG	56KG	68KG	76KG	92KG
Product Dimensions (L*W*H)mm s机身尺寸	Indoor unit 室内机	790*280*200	790*280*200	89*300*210	1020*320*260	1180*330*280	1320*350*290
	Outdoor unit 室外机	600*250*450	780*260*550	850*300*600	850*320*700	850*320*700	900*320*860
Packing Dimensions (L*W*H)mm 包装尺寸	Indoor unit 室内机	865*330*260	870*350*275	980*370*300	1100*390*320	1350*400*330	1480*420*360
	Outdoor unit 室外机	760*350*550	860*350*600	950*400*680	990*400*690	990*400*750	1120*500*900
Quantities 装柜数量	20GP (28方)	126 units	105 units	75 units	68 units	58 units	38 units
	40HQ (68方)	308 units	258 units	185 units	165 units	140 units	90 units



### Standing air conditioner

Product design 款式							
Model 型号	KFR-51GW/M	KFR-61GW/M	KFR-72GW/M	KFR-90GW/M	KFR-120LW/M	KFR-140LW/M	
Power source 电源	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	380-440V/50-60Hz	380-440V/50-60Hz	
Horsepower(P) 匹数	2	3	3.5	4	5	6	
Ton (吨)	1.5	2	2.5	3	4	5	
Capacity (BTU)	18000BTU	24000BTU	30000BTU	36000BTU	48000BTU	60000BTU	
Cooling capacity 制冷量	5099W	6096W	7033W	8499W	11650W	13200W	
Cooling power input 输入功率	1810W	2160W	2450W	3020W	3500	3960W	
Heating capacity 制热量	5600W	6500W	7600W	9000W	18200W	13650W	
Heating power input 输入功率	1800W	2030W	2250W	3100W	3600	3800W	
Current input 输入电流	8.6A	9.7A	11.2A	13.5A	8.5A	9.6A	
Air Flow Volume(M3/h) 风量	750	950	1350	1500	1860	2050	
Ratde current input 额定电流	14A	14.7	18A	20A	12A	13A	
Indoor/Ourdoor noise 噪音	39~45/55db(A)	42~46/55db(A)	46~51/56db(A)	48~53/58db(A)	48~53/58db(A)	49~55/58db(A)	
Compressor 压缩机	美芝GMCC	美芝GMCC	美芝GMCC	美芝GMCC	SANYO	SANYO	
Pipe diameter 管径	6.35 / 12.7	9.52 / 15.88	9.52 / 15.88	9.52 / 15.88	9.52 / 19.05	9.52 / 19.05	
Refrigerants 制冷剂	R22/1500g	R22/1650	R22/2130g	R22/2590g	R410A/3180g	R410A/3500g	
Weight 毛重	68KG	78KG	86KG	106KG	126KG	136KG	
Product Dimensions (L*W*H)mm 机身尺寸	Indoor unit 室内机	480*320*1730	480*320*1730	520*320*176	610*300*1900	610*360*1900	610*360*1900
	Outdoor unit 室外机	850*300*600	850*320*700	850*320*700	900*320*860	950*360*1250	950*360*1250
Packing Dimensions (L*W*H)mm 包装尺寸	Indoor unit 室内机	580*400*1800	580*400*1800	660*480*1900	660*480*1900	735*520*1980	735*520*1980
	Outdoor unit 室外机	950*400*680	990*400*690	990*400*750	1120*500*900	1050*440*980	1050*440*1280